KC

## Application No. Applicant(s) SANSOLO, ARIE 10/773,837 Notice of Allowability Examiner Art Unit James S. Bergin -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to amendment filed 7/26/2005; telephonic interview 9/27/2005. 2. The allowed claim(s) is/are 3-8.13 and 14. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🗌 All b) ☐ Some\* c) ☒ None 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). \* Certified copies not received: IL 154352. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application (PTO-152) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) Interview Summary (PTO-413). Paper No./Mail Date 9/27/2005. 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08). 7. X Examiner's Amendment/Comment Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material 9. Other \_\_\_\_\_.

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes 1. and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David Klein on 9/27/2005.

The application has been amended as follows:

Claim 17 has been cancelled.

In claim 13, line 9, the following has been inserted after "first surface":

, and wherein said explosive element comprises an elongate detonating cord operatively connected to a sleeve housing, which is connected to a detonator housing in which another explosive element is disposed

## **REASONS FOR ALLOWANCE**

2. The following is an examiner's statement of reasons for allowance: Regarding independent claim 3, the known prior art does not disclose or fairly teach the breaching apparatus substantially as claimed and including the housing of the breaching apparatus containing an explosive element, the housing comprising internal partitions spaced from one another, the explosive element comprising a layer of a flexible

Application/Control Number: 10/773,837 Page 3

Art Unit: 3641

explosive element disposed between said partitions <u>and</u> wrapped around at least one of said partitions. Regarding independent claim 13, the known prior art does not disclose or fairly teach the breaching apparatus substantially as claimed and including the explosive element comprising an elongate detonating cord operatively connected to a sleeve housing, which is connected to a detonator housing in which another explosive element is disposed. Regarding independent claim 14, the known prior art does not disclose or fairly teach the breaching apparatus substantially as claimed and including an additional explosive device disposed in a tray attached to the housing of the breaching apparatus.

- 3. This statement is not intended to necessarily state all the reasons for allowance or all the details why the claims are allowed and has not been written to specifically or impliedly state that all the reasons for allowance are set forth (MPEP 1302.14).
- 4. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James S. Bergin whose telephone number is 571-272-6872. The examiner can normally be reached on Monday Wednesday and Friday, 8.30 5.30.

Application/Control Number: 10/773,837

Art Unit: 3641

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Carone can be reached on 571-272-6873. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James S. Bergin

CUPERVISORY PATEUT EXAMINED